

REHAU HERITAGE

Simply Superior

The REHAU Heritage window system is designed to incorporate all the desirable traditional features of a timber sash window, yet with all the additional benefits and conveniences of modern PVC-U. The system includes all the classic detailing found in period sash windows, including a deep bottom rail, slim sashes for improved sightlines and an optional georgian bar.



The system has two sashes built into the frame which slide in opposing directions and will remain fixed in any position.

A sub-frame, which makes up three sides of the window, is the most popular configuration and is welded at the top two corners whilst mechanically joined at the bottom with a sill and screws. The sill is sealed off at each end with an end cap to prevent water ingress into the walls of the property.

The sub-frame can also be an all-welded construction with a clip-in sill. This detail is used in installations where stone sills are present. The three-chambered sash profiles are designed with two front chambers to achieve good heat insulation and allow isolated drainage. The third chamber allows the fitting of specifically designed reinforcement sections.



Double glazed sealed units considerably reduce outdoor noise levels, allowing you to relax in the peace and guiet of your home.



Energy Efficiency

The REHAU Heritage window is capable of meeting current building regulations and can be specified in most applications. The Heritage window can achieve an A Rating with a U-Value of 1.4W/(m2.K) using a common double glazed unit for use with higher energy ratings.



The superb period look is backed by a very modern approach to security. Our three-chamber sash profiles allow for even stronger reinforcements.



■ Low maintenance

Our systems contain a unique compound with a smooth gloss finish quaranteeing they retain their pristine appearance. It also means they will never warp, rot or need painting.

REHAU HERITAGE

Authentic innovation

Heritage windows include the traditional detailing found in period timber box sash windows. With this in mind we have included a deep bottom rail, georgian bars, run through sash horns and foil laminate options to mimic the look of painted wood.

Choose your style

Successfully approved and installed in conservation areas across the UK and Republic of Ireland, Heritage vertical sliding windows are suitable for any style of home.

Further options allow for classic-style hardware and fittings with optional decorative horns and georgian bars to replicate the traditional timber aesthetics to complete the stunning finish.







Choose your finish

If you like the look of traditional painted windows but want the benefits of PVCu and double or triple glazing then you'll love REHAU's fantastic range of foil laminate range.

With our laminate PVCu the colour and finish options are vast complementing both the exterior and interior of your home - you can choose one colour and finish for the outside and a totally different one for the inside. Over 20* laminate options include an attractive range of woodgrain effect finishes all contained in our easy to use swatch and split in to four simple collections to help you choose the look which matches your home.

All laminate finishes carry extensive guarantees and are well proven for high performance and longevity in all types of weather conditions and all areas, without colour deterioration or fade.



The Collections

Contemporary Collection

The Contemporary Collection includes a selection of blacks and greys which mimic the minimalistic look of aluminium windows.



Timeless Collection

A great choice for period properties, The Timeless Collection includes Clotted Cream, Chartwell Green and Windsor.




Traditional Collection

Offering options for those looking a more traditional timber finish including Golden Oak, Mahogany and Rosewood.



Statement Collection

Some of the bolder colours within the REHAU range, colours include reds, blues and greens for a more daring look.



REHAU HERITAGE

Fitting Quality

The REHAU Heritage system has been designed to accommodate all possible hardware requirements.





Steel-reinforced sliding latches allow the sashes to be tilted inwards to enable the window to be cleaned from the inside of the property, yet the facility is concealed for aesthetic and safety reasons.

The latches can be locked off to prevent unauthorised tilting of the sash.

Standard balances of 14mm or 19mm diameter may be used, and it is also possible to fix all hardware into a specially designed steel or aluminium section for increased security performance.





Summary of options available with the REHAU Heritage system:

- Stepped frame with either mechanically jointed sill or fully welded options
- 4 Sash options including a Deep bottom rail for a traditional timber look window.
- Standard glazing unit sizes of 24mm and 28mm

- Supplementary profiles and seals, including Chamfered and Sculptured Georgian bars
- Triple brush seals in the frame create an excellent barrier against water and air.
- A range of heritage horn styles including run through sash horns.



Get in touch...

For further information

visit www.rehau.uk

email enquiries@rehau.com

UK & IRELAND SALES OFFICES

London, The REHAU Hub, The Building Centre, 25 Store Street, London WC1E 7BT Phone: 0207 580 6155 Fax: 0207 307 8595 Slough, Units 5 J & K, Langley Business Centre, Station Road, Langley, Slough SL3 8DS Phone: 01753 588500 Fax: 01753 588501

Manchester, Brinell Drive, Irlam, Manchester M44 5BL Phone: 0161 777 7400 Fax: 0161 777 7401

Glasgow, Phoenix House, Phoenix Crescent, Strathclyde Business Park, Bellshill, North Lanarkshire ML4 3NJ Phone: 01698 503700 Fax: 01698 503701 **Dublin,** 9 St. Johns Court, Business Park, Swords Road, Santry, Dublin 9 Phone: 00353 (0)1 8165020 Fax: 00353 (0)1 8165021



Follow @RFHAUWindows



Watch REHAU Ltd



REHAU Windows



Look REHAU Windows UK



Connect REHAU UK Ltd

Our verbal and written application engineering advice is based upon experience and the best of our knowledge. However, it is to be regarded as non-binding information. Working conditions and use under conditions for which the product was not intended and over which we have no influence exclude any claim resulting from our information. We recommend that a check is made as to whether the REHAU product is suitable for the envisaged purpose. Application, use and processing of the products is carried out beyond the scope of our control and are therefore carried out exclusively at your own responsibility. If liability should still apply, then this is restricted, in the case of all damage, the value of the goods supplied by us and used by you. Our warranty applies to the consistent quality of our products as per our specification and in accordance with our general terms and conditions of delivery and payment. This document is protected by copyright. All rights based on this are reserved. No part of this publication may be translated, reproduced or transmitted in any form or by any similar means, electronic or mechanical, photocopying, recording or otherwise, or stored in a data retrieval system.